
Name:	Date:
name:	Date:

## Advanced Life Support



## **Across**

- **2.** Body temperature less than 35 degrees
- **6.** Decrease in circulating blood volume
- 9. If intravenous access is unsuccessful
- 12. A heart rate of less than 60bpm
- **14.** The act of pushing the middle of the chest, with both hands
- 16. Retrieve equipment as required
- 21. Also known as supraglottic airways
- **23.** The pacemaker, whilst in demand mode, delivers a pacing spike regardless of the patient's intrinsic activity
- **24.** Lack of oxygen delivery to heart, brain, and other vital organs
- **25.** Serum potassium concentration >5.5mmol/L

## **Down**

- 1. Algorithm to ensure safe defibrillation technique that maximises time on the chest
- 3. Substances in the body which can lead to cardiac arrest
- 4. Formation of a blood clot inside a blood vessel
- **5.** Disordered electrical activity and chaotic firing of ventricles at 150-500bpm
- **7.** Accurately documents events and keeps time
- 8. The exchanging of information by speaking, writing, or some other medium 10. May be given if a defibrillator is not readily available
- 11. Accumulation of fluid or blood in the pericardial sac

- **13.** Delivery of an unsynchronised electrical current across the myocardium
- **15.** A safe platform for staff to express their reactions, and reflect upon their practice
- **17.** Cardiac rhythm with no discernible electrical activity
- **18.** A heart rate of more than 100bpm
- **19.** Resistance to current transit through the chest
- **20.** A process or set of rules that define a sequence of operations
- **22.** Minimally flexible plastic, holding the tongue away from the posterior pharynx