


Attention Deficit Hyperactivity Disorder



Across

6. What device could help with transitioning and task-switching?
7. Momentary time-sampling is the _____ of treatment through observation over short intervals of time.
10. Who classified ADHD individuals as "minimally brain injured" in the 1950's?
11. Diagnosis requires four component; a behavioral observation, teacher/parent rating scales, a clinical interview, and a _____ examination.
12. Abnormal levels of two neurotransmitters contribute to ADHD, the noradrenaline and the _____.
13. ADHD is more prominent in boys than girls possibly because girls do not usually exhibit what component of ADHD?
15. ClassDojo is a non-drug technology program that rewards ADHD individuals for what behaviors?

16. When relaying instructions to an ADHD individual one should do what with the said instructions?
17. Some cases of ADHD that are left untreated may lead to _____ abuse or gambling.
19. Individuals with ADHD may show signs of inattention, hyperactivity, and/or what other component?
20. What should be maintained the same everyday to create organization for an ADHD individual?
21. The U.S. Department of _____ does not recognize ADHD as its own category in special education.
22. What hands on activity could exhaust excess energy and keep an ADHD individual excited and engaged in learning?

Down

1. What must happen to irrelevant excess stimuli in order to gain the attention of an ADHD individual?

2. What other visual aid is helpful other than an organizer?
3. ADHD has been linked to heredity through how many genes?
4. ADHD individuals should be allowed extra time to process and what?
5. Heinz Werner and Alfred Strauss' figure/background test identified individuals with what syndrome?
8. What was believed to be the most prominent factor of ADHD?
9. Who is the famous actress who embraced her ADHD and achieved great success by focusing on her interests? (hint: Audra _____)
14. ADHD individuals tend to have excess energy, fidget, and are extremely _____.
18. Two classifications of medications are available for possible treatment of ADHD, _____ and nonstimulants.