


# Ch. 9: The Urinary System



## Across

9. a treatment for a nephrolith lodged in the ureter.

10. also known as ischuria, is the inability to completely empty the bladder when attempting to urinate.

## Down

1. Continuous leaking from the bladder either because it is full or because it does not empty completely. Prevalent in older men with enlarged prostates.

2. Also known as urge incontinence, occurs when the muscles of the bladder contract involuntary even though the bladder is not actually full enough to indicate the need to urinate.

3. An acute pain in the kidney area that is caused by a blockage during the passage of a nephrolith (kidney stone).

4. A condition can be caused by the kidneys not receiving enough blood to filter due to dehydration or a sudden drop in blood volume or blood pressure

5. also known as ileostomy, is the use of a small piece of intestine to convey urine to the ureters and to a stoma in the abdomen.

6. A replacement for the missing bladder created by using about 20 inches of the small intestine.

7. Also known as nephrorrhaphy, is the surgical fixation of a nephroptosis, or floating kidney.

8. An inflammation of both the renal pelvis and of the kidney.

## Word Bank

Overflow incontinence

Nephroplexy

Ileal conduit

Neobladder

Pyelonephritis

Overactive bladder

Ureteroscopy

Renal colic

Acute renal failure

Urinary retention