
Crossword Puzzle for CAUTI



Across

- **3.** Common inappropriate reason for placing urinary catheter
- **5.** Reduce catheter obstruction by preventing _____ in tubing
- **6.** One of most common healthcare associated infections
- 8. To prevent inflating the balloon in the urethra, catheters should be advanced to the _____ after urine is obtained before inflating balloon
- **14.** Ouch (% of catheters traumatically removed)
- **15.** Common cause of positive urine culture in patients with catheter
- **19.** Most effective strategy to prevent infection
- 20. NOT a symptom of UTI
- **21.** Type of urinary catheter with a self-retaining balloon

- **22.** Percentage of people over age 70 living in long-term care with asymptomatic bacteriuria
- 23. Urinary catheter collection bag kept_____ level of bladder
- **25.** To be treated for UTI, a patient must have
- 26. Sign of UTI
- 27. If the catheter has been in place

 days, it should be replaced prior
- **28.** Common injury related to balloon inflation in the
- **29.** Danger of treating asymptomatic bacteriuria
- **31.** Bladder volume after successful voiding

Down

1. Type of urinary catheter best used in men over age 40

- **2.** Healthcare provider compliance % with hand hygiene
- **4.** Most effective form of hand hygiene preparation
- 7. Purewick and condom catheters
- 9. Preferred drainage system
- **10.** Strategy to prevent tension on catheter
- 11. Father of Hand Hygiene
- **12.** Risk of CAUTI increases by this % each day in place
- **13.** Percentage of CAUTIs that are preventable
- **16.** Urinary catheter bag should never be placed
- 17. Strategy to prevent CAUTI
- 18. Catheter care frequency per day
- **24.** Before transferring patient with urinary catheter
- 30. Number of moments of hand hygiene