
Disorders Crossword Puzzle



Across

2. person alternated binge eating with purging, fasting, or excessive exercise.

4. the person maintains a starvation diet despite being significantly underweight

7. lack of conscience of wrongdoing, impulsive, fearless, irresponsible, even towards friends and family members

8. repetitive behaviors

14. repetitive thoughts

17. conscious awareness becomes separated from previous memories, thoughts or feelings

19. attention deficit hyperactivity disorder anxiety disorder, marked by distressing persistent anxiety or maladaptive behaviors that reduce anxiety

20. marked by a clinically significant disturbance in an individual's cognition, emotional regulation, or behavior

21. person experiences not only depression but also mania - impulsive behavior

22. a form of schizophrenia that can begin at any age, usually responds to an emotionally traumatic event

Down

 a person is continually tense, apprehensive, and in a state of autonomic nervous system arousal

3. a person experiences 2 or more weeks with 5 or more symptoms at least one of which must be either depressed mood or loss of interest or pleasure persistent depressive disorder, a person experiences a mildly depressed mood, more often than not, for at least two years along with at least two other symptoms

5. significant binge eating followed by distress, disgust or guilt but without the purging, fasting or excessive exercise

6. characterized by delusions, hallucination, disorganized speech, and or diminished inappropriate emotional expressions

9. cutting burning, hitting oneself, pulling out hair, inserting objects under nails or skin, self-administered tattooing

10. a form of schizophrenia in which symptoms usually appear by late adolescents or early adulthood

 disruptive, inflexible and ensuring behavioral patterns, that impair the social functioning ability
a person experiences sudden episodes of intense dread and often lives in fear of when the next attack might strike

13. post-traumatic stress disorder, characterized by haunted memories, nightmares, social withdrawal, jumpy anxiety, numbness of feeling, and or insomnia lingering for 4 weeks or more after a traumatic experience.

15. a person experiences persistent irrational fear and avoidance of a specific object, activity or situation OCD, obsessive-compulsive disorder, persistent repetitive thoughts

16. (dissociative identity disorder) a rare disorder in which a person exhibits two or more distinct or alternating personalities

18. more likely to occur when people feel disconnected from or as if they as a burden to other