


# Fetal Lie and BPP



**Across**

- 4. Excess amniotic fluid
- 8. Head Maternal right (Hint: Fetal Lie)
- 9. Motor behavior of the fetus (2 words - no space)
- 10. Term used to describe which portion of the fetus will deliver first .
- 11. Total possible points for a passing BPP.
- 13. Gross fetal movements are considered present if \_\_\_\_\_ or more rolling movements of the trunk are observed within a 30-minute observation period.
- 14. Fetal hiccups have been recognized as early as \_\_\_\_\_ weeks
- 17. Prenatal testing including only the NST and AFI.
- 20. Passing score
- 22. Laying face up
- 23. Directional term meaning toward the head.
- 25. Blood pH below 7 resulting from an increase in hydrogen concentrations due to impaired blood supply to the fetus.
- 28. In a sagittal plane, just superior to the pubic bone, you see the baby's head. This means the baby is in what position?
- 29. The presence of at least one episode of sustained fetal breathing of at least \_\_\_\_\_ seconds' duration within a 30-minute observation is adequate for a score of 2.

- 30. Incorrect negative test result when the state being tested is present. Example: The fetus reacts during a BPP; however, there is fetal compromise due to acidosis.
  - 32. Stomach and heart apex should be on the \_\_\_\_\_ side of the body.
  - 33. Means "before birth"
- Down**
- 1. For AFV, a pocket of \_\_\_\_\_ centimeters (cm) was considered adequate.
  - 2. Gross fetal movements are considered present if \_\_\_\_\_ or more rolling movements of the trunk are observed within a 30-minute observation period.
  - 3. Laying face down
  - 5. Fetus lying head up.
  - 6. Synonym for cephalic.
  - 7. Low amniotic fluid
  - 12. Rough estimate of the fluid surrounding the fetus obtained through the measurement of four pockets of amniotic fluid, one from each of the abdominal quadrants.(3 words - no spaces)
  - 15. Failing Score
  - 16. Head down fetus
  - 18. Fetal tone is considered normal if at least \_\_\_\_\_ episode of extension of extremities with return to position of flexion, or extension of spine with return to position of flexion, is visualized in the 30-minute observation period.
  - 19. Measure of acidity or alkalinity

- 21. Means "after birth"
- 24. Determined by measurement of the largest vertical pocket of amniotic fluid.
- 26. At least one episode of extension of extremities with return to position of flexion, or extension of spine with return to position of flexion, is visualized in the 30-minute observation period. (2 words - no space)
- 27. AFI of \_\_\_\_\_ cm or less is indicative of oligohydramnios.
- 31. \_\_\_\_\_ fetal movements include rolling of the trunk or movement of a large limb, face or hand, and swallowing.