

Name: _____

Date: _____

Grief and Loss

1. grief that lasts more than 6 months
 2. unable to acknowledge a loss to others
 3. grief that is experienced before the loss occurs
 4. grief theorists who created 5 stages
 5. death of an infant or fetus at conception to after 28 days of life
 6. form of depression that occurs the first few weeks after birth
 7. what is a determination of death
 8. what is a form of nonpharmacologic therapy for grief
 9. what is an example of a complication of a child's grieving process?
 10. an organization that provides end of life care?
 11. what are some factors that affect the grieving process?
 12. A child's feelings that manifests as fear connected with death
 13. what is a vital part of end of life care?
 14. loss of infants after 20 weeks
 15. type of loss that is felt by individual but cannot be verified by outsiders
 16. nurses need to process
 17. class of medications used to treat grief
 18. the way children handle loss depends on
 19. children may experience grief differently depending on?
 20. caring for the dying client requires the nurse to consider the needs of?
- A. developmental stage
 - B. intrauterine fetal demise
 - C. disenfranchised grief
 - D. complicated grief
 - E. perinatal loss
 - F. SSRI's such as fluoxetine
 - G. postpartum depression
 - H. pain management
 - I. the family cultural practices
 - J. death anxiety
 - K. the client and family
 - L. their own feelings of grief
 - M. anticipatory grief
 - N. age, gender, abuse
 - O. perceived loss
 - P. Kubler-Ross
 - Q. therapy
 - R. no pulse
 - S. childhood traumatic grief
 - T. Hospice