


Name: _____ Date: _____ Period: _____

Health Risks of Psychoactive Drugs



Across

2. a stimulant extreme whose consequences of extreme addiction mimics that of cocaine, and causes a rapid increase in heart rate and blood pressure
3. a hallucinogen that can lead to kidney and cardiovascular system failure, memory loss, numbness, and impaired motor function
7. an opiate that can cause nausea and constipation (along with addiction)
8. an opiate that can impair the functions of the respiratory system, and has a risk of HIV exposure with (contaminated) needle usage
11. a hallucinogen that can lead to a lack of appetite, depression, panic, aggression, and violent actions
13. an opiate that can cause confusion, sedation, unconsciousness, or a coma
16. a stimulant that can cause memory loss and heart and nerve damage over time

17. a hallucinogen that mimics the effects of LSD with its symptoms

18. a stimulant that can cause nausea, abdominal pain, stroke, headache, heart attack, and has a risk of HIV exposure through contaminated needles

19. a hallucinogen that can lead to delusions, illusions, hallucinations, flashbacks, numbness, and tremors

20. a hallucinogen that can lead to having delusions, illusions, hallucinations, paranoia, extreme anxiety, and nausea

Down

1. depressants that can cause depression, fever, irritability, loss of judgement, and dizziness

4. a hallucinogen that can cause nausea, dizziness, lack of coordination, rashes, hallucinations, disorientation, paranoia, panic attacks, or seizures

5. depressants characterized by causing fatigue, confusion, impaired muscle coordination, reduced heart rate and blood pressure, and impaired respiratory function

6. an opiate that can cause drowsiness, nausea, constipation, and impairs the respiratory system

9. a depressant that can cause decreased blood pressure, drowsiness, memory loss, and gastrointestinal disturbances

10. stimulants that can lead to decreased appetite, weight loss, high blood pressure, aggressiveness, rapid heartbeat, heart failure, etc.

12. an opiate that can cause a rapid onset of tolerance

14. a hallucinogen that can cause confusion, depression, paranoia, muscle breakdown

15. a depressant that can cause drowsiness, nausea, vomiting, a loss of consciousness, impaired breathing, or even a coma