


Name: _____ Date: _____

Obstetric, Perinatal and Congenital Condition



Across

1. Condition of low or missing amniotic fluid
4. A woman who has never been pregnant
6. Pregnant for the first time
8. Outer sac around fetus
9. Condition of mother's inability to produce milk
12. Common rash of late pregnancy
13. First 2 weeks of the fertilized egg
16. Cutting of the vulva
18. Serious form of hypertension secondary to pregnancy
19. 3-8 weeks, the fertilized egg is called an
20. Fraternal twins are
22. The end of pregnancy, the fertilized egg is called a
23. Condition more than 5 fingers
24. Condition of deficient milk production
30. Cancer of the chorionic membrane

31. Time immediately after/following childbirth
 32. Surgical puncture of the amnion
 34. Hollow outer shell of blastocyst is called
 36. Excessive amniotic fluid
 37. Suturing the cervix closed to prevent spontaneous abortion
 38. Highly vascular structure that acts as a physical communication between the mother and the embryo
 39. The fertilized egg that is implanted in the uterine wall
 40. The umbilical cord around the neonates neck
- Down**
2. Inflammation of the placenta
 3. Delivery through a surgical abdominal incision
 5. A medication to terminate a pregnancy

7. Number of times the mother has delivered a child
10. The infection of the female reproductive system after delivery
11. Abnormal twisting of feet
14. Identical twins are
15. The act of giving birth
17. An opening in a woman's body that goes back to her uterus
21. A solid ball of cells resulting from division of a fertilized ovum
25. Nourishes the growing zygote
26. Softening of the cervix
27. When pregnant 2 or more times
28. The male organ of copulation
29. Discharge of ova or ovules from the ovary.
33. Helps with increasing the size of lining of the uterus & the number of blood vessels
35. Inner sac around fetus