


Name: _____ Date: _____

Obstetric, Perinatal and Congenital Condition



Across

1. late pregnancies 40-42 weeks
3. 0 to 14 weeks
4. the time period of fetal development
6. twins share the outer and inner sac
9. 3 month segments
16. fetus weighs about 7 1/2 pounds
18. 28 weeks to delivery
21. a woman who has delivered 5 or more children
22. communication between the mother and the embryo
25. never being able to be pregnant
27. a solid ball of cells from repeated divisions
28. the act of giving birth
31. embryonic immature sac

33. when the umbilical cord is cut and clamped
35. pregnant 2 or more times
36. the first 3 to 8 weeks the baby is called an
37. meaning Mid-wife
38. the delivery of the placenta
39. the longest stage of labor

Down

2. after childbirth
5. before childbirth
7. last menstrual period
8. over 42 weeks
10. the inner sac
11. has EDD after her 35th birthday
12. 6 week time period immediately after delivery

13. inner segment
14. the outer sac
15. the remainder of the pregnancy the baby is called
17. being pregnant for the first time
19. during childbirth
20. used to describe pregnancy
23. 14 to 28 weeks
24. the number of times that she has delivered a child
26. tissue that connects the embryo to the placenta
29. outer hollow shell of the blastocyst
30. remainig scar is the
32. the one celled fertilized egg
34. Estimated date of delivery

Word Bank

Blastocyst	inner cell mass	embryo	Second trimester	conjoined twins	umbilical cord
EDD	parity	Antepartum	chorion	placenta	intrapartum
postpartum	Trimesters	amnion	Zygote	second stage	parturition
Nulligravida	third stage	First trimester	Third trimester	trophoblast	Term
Obstetrics	Gestation	Multigravida	LMP	prolonged pregnancy	Unigravida
grand multiparity	fetus	Post-term pregnancy	puerperium	Gravida	elderly primipara
umbilicus	first stage	Morula			