


Name: _____

Date: _____

Periop, Week 4



Across

3. A colorless, flammable, explosive gas that can be used to sterilize heat & moisture sensitive items. _____

4. Type of scissor used to cut suture? _____

10. According to the Spaulding Classification System an OR bed is considered?

12. Always hand/pass a powered instrument to the surgeon with the _____ on.

16. The scrub should practice sharp safety by using a _____ when passing sharps.

18. End of procedure cleaning (room turnover) is also called _____ cleaning.

20. A colonoscope is a _____ item (according to Spaulding Classification).

21. Any germicide labeled as a _____ has passed the potency test for activity against Pseudomonas, Staphylococcus, and Salmonella.

24. Keep titanium & stainless steel microsurgical instruments _____ as they can react with each other.

Down

1. Cholecystectomy without spillage of bile is which wound classification? _____

2. The first step in the Sterilization process.

5. Thorough environmental cleaning performed at the end of the day is called _____ cleaning.

6. What category of surgical instrument is a chisel & curette?

7. Class III type of wound is called _____.

8. All horizontal surfaces should be _____ before the 1st scheduled procedure.

9. Weitlaner is a _____ retractor.

11. A powered instrument that cuts layers of skin for skin grafting?

13. _____ should not be used to clean environmental surfaces as it is an antiseptic and not an EPA registered Disinfectant.

14. Process indicator used in Dynamic Air Removal (PreVac) sterilizer. _____

15. Use a _____ moistened sponge to clean blood/ body fluids from instruments during the surgical procedure.

17. Sternal saw is a _____ item (Spaulding Classification System).

19. Use this to load a blade onto a knife handle. _____

22. What category of surgical instrument is a forcep?

23. The absence of all living microorganisms?