
| Name: | Date: |
|-------|-------|
| name: | Date: |

Pharm for Nursing Module E



Across

- Patients who receive immunosuppressive drugs should NOT receive these types of vaccines
- 2. Results when a person is given someone else's antibodies
- **5.** These types of medications are particularly toxic for elderly people
- 7. one example is histamine
- These drugs are not pain medication, but they will eventually help your pain because the inflammation and joint tenderness will lessen over time
- 13. Might be used to suppress the inflammatory process of rheumatoid arthritis when other treatments fail
- **16.** Results when a person's immune system works to produce antibodies and activate other immune cells to certain pathogens
- 18. A food containing salicylates
- 19. triggered by irritation to tissue

- **20.** This type of NSAID Increases PT, bleeding time, INR, and uric acid
- 21. A first generation NSAID that may cause sodium and water retention and increased blood pressure
- 22. An adverse reaction to aspirin
- **24.** Often the first class used with progressing arthritis
- **25.** carry out the process of developing immunity to future invasions

Down

- 3. inhibit prostaglandin production
- 4. These types of drugs suppress the immune system by blocking the activity of a substance in the body that can cause inflammation and may lead to immune-system diseases
- 6. process to attack and destroy an invader

- 8. A rare but serious disease that causes swelling in the liver and the brain. It can affect people of any age, but it is most often seen in children and teenagers recovering from a virus such as the flu or chickenpox
- **10.** A second generation NSAID that works by selectively inhibiting COX-2 enzyme without inhibition of COX-1with limited effects on stomach lining or blood clotting
- **11.** By blocking these enzymes, NSAIDS block inflammation and the signs and symptoms of inflammation at the site of injury or trauma
- **12.** The protection offered by this type of immunity is short-lived, usually lasting only a few weeks or months, but it helps protect right away
- This type of prostaglandin inhibitor anti-Inflammatory agent is extremely hepatotoxic
- 15. non-opioids
- **17.** active in the destruction process of the immune process
- 23. decrease immune response