


Pharmacology: Nervous System Meds Day 1



Across

2. _____ blockers are used to treat Raynaud's.
3. Hydantoin's can cause gingival _____.
6. Allow for _____ hours of sleep when taking Zolpidem.
8. Beta-2 adrenergic agonists that is used to treat asthma.
12. Adrenergic agonists should be used cautiously in clients diagnosed with _____.
13. Sign of toxicity for barbituates and hydantoin's.
16. Antidote for anticholinergic toxicity.

17. Antidote for cholinergic crisis.

18. Alpha-1 adrenergic agonist cause vaso _____.

19. Carbamazepine is used to treat trigeminal and glossopharyngeal _____.

Down

1. Adrenergic agonist used to treat shock.
4. Adrenergic blockers should be used cautiously in clients diagnosed with _____.
5. Antiepileptic that is also used for migraine headaches.
7. Benzodiazepines cause CNS _____.

9. Antidote for Benzodiazepine toxicity.

10. Vitamin the client can take to reduce the occurrence of the adverse effect caused by Hydantoin's.

11. _____ and the killer B's is the acronym for cholinergic crisis.

14. Type of seizure Succinimides treat.

15. Nerve cell that causes a parasympathetic response.

20. Nerve cell that causes a sympathetic response.