
Name:	Date:
-------	-------

## Post CABG Care



## **Across**

- **2.** What is a NON-invasive method to maintain heart rate after CABG? Calcium channel blockers and
- **8.** What type of dressing will typically cover the mid-sternal incision?
- **12.** \_\_\_\_ medications need to be administered on a scheduled basis for the first few days post-op, even if they are ordered PRN.
- **13.** How often should the incentive spirometer be used? Up to \_\_\_\_\_ breaths every hour while awake.
- **15.** What is a common arrhythmia following cardiac surgery?
- **17.** Patients should ambulate in the halls \_\_\_\_ times per day.
- **18.** What is a loop diuretic often given after CABG surgery?

**19.** What is something that can prevent sternal wound dehiscence for women, particularly those with large breast tissue?

## **Down**

- 1. When monitoring vital signs, the nurse should assess for \_\_\_\_ and tachycardia following pacer wire removal.

  3. The PA has just pulled pacer wires
- on a patient. How long should the patient be on bedrest? \_\_\_\_\_ hours.
- **4.** Following pacer wire removal, the nurse should assess for which can be a sign of tamponade.
- **5.** The night before surgery, the patient have a light dinner and not eat anything after \_\_\_\_\_ the night before surgery?
- **6.** What complication does using the incentive spirometer help to prevent?

- **7.** What do compression/TED stockings help to prevent?
- **9.** In what position should patients eat their meals?
- **10.** \_\_\_\_ heart sounds are associated with cardiac tamponade.
- **11.** Cardiac tamponade is a medical emergency caused by increased fluid in the space.
- **14.** What is an invasive method to maintain heart rate after CABG? Temporary
- **16.** Patient should eat meals high in to help the healing process.