


# Psychology Review



## Across

3. A disorder characterized by delusions, hallucinations, disorganized speech, and diminished inappropriate emotional expression

4. Symptom of schizophrenia that includes false sensory experiences and false perceptions

6. Fear or avoidance of public situations, such as crowds, where one has felt loss of control

12. An anxiety disorder marked by unpredictable episodes of intense dread

14. A caring, accepting, nonjudgmental attitude, which Carl Rogers believed would help clients develop self-awareness and self-acceptance

17. A psychological disorder marked by extreme inattention and/or hyperactivity and impulsivity

18. Freud's therapeutic technique that included free associations, resistances, dreams, and transferences.

19. An anxiety disorder in which a person is unexplainably and continually tense and uneasy

20. Occurs when someone experiences a fearful event and later develops a fear of similar events

## Down

1. A disorder in which a person experiences two or more weeks with at least five symptoms-one being a depressed mood or loss of interest or pleasure

2. A syndrome marked by a clinically significant disturbance in an individual's cognition, emotion regulation, or behavior

5. What do psychodynamic therapists call the blocking of anxiety-laden material from conscious awareness

7. A type of counter conditioning that associates an unpleasant state with an unwanted behavior

8. A disorder in which a person alternates between the hopelessness and lethargy of depression and overexcited state of mania

9. An anxiety disorder marked by a persistent, irrational fear and avoidance of a specific object

10. A symptom of schizophrenia that includes a false belief

11. A person with schizophrenia who is experiencing delusions is experiencing a \_\_\_\_\_ symptom

13. In \_\_\_\_\_ schizophrenia, the disorder develops gradually and recovery is doubtful

15. A disorder characterized by unwanted repetitive thoughts (obsessions) and actions (compulsions) or both

16. A disorder characterized by haunting memories, nightmares, hyper vigilance, social withdrawal, jumpy anxiety, numbness of feeling or insomnia that lasts for four or more weeks after a traumatic experience