


ch. 14



Across

3. large-bodied baby commonly seen in diabetic pregnancies
 4. Cessation of menstrual periods caused by lack of ovarian hormones
 6. ultrasound imaging of the female pelvis
 10. absence of a breast
 11. excessive amniotic fluid
 13. surgical reconstruction of a breast
 17. abnormal white or yellow vaginal discharge
 19. drug that causes abortion
 22. having never been pregnant
 24. inflammation of one or both ovaries
 25. abnormal passage, such as from one hollow organ to another
 26. elevation of pendulous breast tissue

27. abnormal backward bending of the uterus
 28. obstetric measurement of the pelvis to evaluate proper conditions for vaginal delivery

Down

29. first delivery
 30. infection of the vagina, with little or no inflammation, characterized by a milk-like discharge and an unpleasant odor
 1. x-ray (low-dose) of the breast tissue to detect neoplasm
 2. presence of more than two breasts
 5. inflammation of the breast
 7. removal of the uterus
 8. descent of the uterus down the vaginal canal

9. surgical incision of the abdominal wall and uterus to deliver a fetus
 12. development of mammary glands in the male caused by altered hormone levels
 14. a woman who has given birth to two or more children
 15. expulsion of the products of conception before the fetus is viable
 16. breaking down or severing of pelvic adhesions
 18. suture to repair the vagina
 20. introduction of a solution into the amniotic sac
 21. a woman who has never borne a viable child
 23. pouching of the rectum into the vagina